FY 2000

STATEMENT OF WORK

SOW-00-832-1-8B226B-2/1

FOR THE

LIGHT ARMORED VEHICLE

ACTUATOR ASSEMBLY

NSN: 1005-01-191-8733

ID# 8B226B

9 DEC 1999

Statement Of Work For The Inspect, Repair Only As Necessary For The LAV-25 Actuator Assembly NSN 1005-01-191-8733

- 1.0 <u>SCOPE</u>. This document contains requirements to restore the Light Armored Vehicle Actuator Assembly to Condition Code "A". Condition Code "A" is defined as serviceable/ready to issue without qualification, new, used, repaired, or reconditioned material which is serviceable and ready to issue to all customers without limitation or restriction.
- 1.1 This Statement of Work (SOW) identifies the work effort that shall be performed by the contractor (for the purposes of this SOW, contractor is defined as the commercial or government entity performing the repair) to repair the Actuator Assembly, NSN 1005-01-191-8733 in support of the Light Armored Vehicle.
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified:
- 2.1 Military Standards.

MIL-STD-129 DOD Standard Practice for Military Marking

MIL-STD-2073-1C DOD Standard Practice for Military Packaging

Military Standards (Guidance Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications.

SL-4-08594A Repair Parts List For The LAV-25

RS 08594A-50/1 Rebuild Standards For The LAV-25 Turret

TI-4700-45/6A Installation of Repair/Overhaul Data Plates

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material From The

Federal Supply System

2.3 Industry Standards.

ANSI/ISO/ASQC Q9003-1994 Quality Systems Model For Quality Assurance In Final Inspection And Test

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 893) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128. Copies of engineering drawings/documents, engineering change proposals, and request for deviation/waiver may be obtained by accessing the Joint Engineering Data Management Information Control System (JEDMICS). Authorization to access JEDMICS may be obtained by contacting: Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd STE 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 REQUIREMENTS.

- 3.1 <u>General Tasks</u>. The contractor shall repair the Actuator Assembly in accordance with TM 08594A-34/8. A complete parts breakdown of the Actuator Assembly can be found in SL-4-08594A. All repaired Actuator Assemblies shall have a data plate in accordance with TI-4700-45/6B.
- 3.1.1 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production not incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.1.2 Contractor Furnished Materiel (CFM). The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.2 <u>Quality Assurance Provisions</u>. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC/ Q9003-1994 Quality Systems Model for Quality Assurance in Final Inspection and Test.

2

3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement any changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by the written procedures or material contained in manuals, standards, instructions or engineering drawings. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973 (paragraph 5.4.3 or 5.4.4) as a guide.

3.4 Packaging, Handling, Storage and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage and shipment to overseas destinations shall be preserved and packaged in accordance with the level "A" requirements of MIL-STD-2073-1C, Method 41. Items being prepared for domestic shipment, immediate use and short-term storage shall be to level "B" requirements.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for roducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notivithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E

A. CONTRACT LINE I	ILEM MU.	B. EXHIBIT		C. CATEGORY: TOP TM OTHER						
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA					
	Actuator Assembl									
1, DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SU			3. SUBTITLE			17. PRICE GR		
4.001		Daguest	For Deviation			Configuration Ma	naama	nt		ıi
A001 Request For 1 4. AUTHORITY (Data Acquisition Document No.) 5. CON			5. CONTRACT REFEREN		6. REQUIRING OFFICE		18, ESTIMA			
	CMAN-80640B		V. GOISTING VILLE ELLE	SOW 3.3		MCLBA	A (825)			TOTAL F
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISSI	ion	14. DISTRIBUTION				
LT 8. APP CODE	REQUIRED A	11. AS OF DA	ASREQ	SEE BLK			b. COPIES			1 📖
			TE	13. DATE OF SUBSEQUENT NOISSIMBUS		a. ADDRESSEE	Draft	Fin Reg	nal Repro	
16. REMARKS Blk 4 - Contractor format is authorized.						MCLBA (825-2)	0	1	0	
				*						
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.									 	
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.										
mbmatcomcon	transmitted via E figmngmnt@mate	com.usmo	ine following a c.mil	auuless.						ļ
							1			
Distribution St.	tatement A: App	roved for	nublic release	distribution is u	nlimited					
Distribution St	acoment ii. Tipp	10104 101	public release	, distribution to a						
										!
									—	
										1
										1
									ł-——	l
									-	
							1			
										i
									<u> </u>	1
							1		 -	
									<u> </u>	i
									T	1.
						****				1 !
										1
							1		\vdash	1
									 	1
									<u> </u>	
						15. TOTAL	0	1	0	
G. PREPARED BY		11	H. DATE	I. APPROVED E	IY /	100.00	J. DAT	<u> </u>	<u> </u>	1
Minni	y BAM	d/bi	- 1	2000		La L	2:	3-61	ا ن	
	1, AUG 96 (EG)		t	REVIOUS EDITION MAY BE		\Funn	Page	of	Pages	i

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send compents regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Arfington, VA 22202-4302. Respondents should be aware that notivithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT	Γ	C. CATEGORY:							
				TOP TM OTH							
D. SYSTEM/ITEM	A atmata = A1 1		E. CONTRACT/PR	NO.	F. CONTRA	ACTOR					
	Actuator Assembl	у									
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE (
4.003		Daguar	t For Waiver			Cor	figuration Ma	noaam	~***		
A002 Request For Waiver								nageme	75 75 70 4		
4. AUTHORITY (Deta Acquisition Document No.) DI-CMAN-80641B 5. CONTRACT REFERENCE SOV						6. REQUIRING OFFICE					18. ESTIMA Total
		Las carauras		SOW 3.3		MCLBA (825)					
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUEN	ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16		14. DISTRIBU	DISTRIBUTION				
						-		b. COPIES			│ └ ──
8. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft Final				
44 PF4ILDUO	A								Reg	Repro	
16. REMARKS						MC.	LBA (825-2)	0	1	0	
Blk 4 - Contra	ctor format is aut	horized.									[]
Blks 10 & 12 nonconforming	- RFWs shall be s g material which o	submitted does not	to obtain auth meet prescribe	orization to del ed configuration	iver l						
											H
_	reviewed and disp Government.				days upon						
	transmitted via Enfigmingmit@mate										
Distribution St	tatement A: Appi	roved for	public release	e, distribution is	unlimited				<u> </u>		1
									<u> </u>		
						<u> </u>			<u> </u>		
									ļ		
									ļ		l
										L.	İ
						L	····	1			
						l		1	 		1
											1
										ļ	11
								1			1!
											1!
											1 !
											1!
										.	1 !
											1 !
											1 !
											1!
											
						15. TOT	AL _	0		0	1
G. PREPARED BY	F	, 1	H. DATE	I. APPROVE	D BY	-1		J. DAT			1
Winne	& BN	dli	FEB 12	2000 flin). 🏷	Lah	2-	3-0	5.	
DO FORM 1423	1, AUG 96 (EG)		/ PF	REVIOUS EDITION MAY	BE USED.	·	()	Page	of	Pages	, ;
			•	•			~_			_ •	